

S O R O N A[®]

— H A N G T A G P R O G R A M —

THE
COMMON
THREAD

SORONA[®] FABRIC CERTIFICATION PROGRAM

Request garment hangtags to highlight the benefits that Sorona® renewably sourced fiber brings to fabrics, for everything from denim and outdoor apparel to intimate apparel. Please review the hangtag order form and conditions of use before placing an order.


Visit www.sorona.com or contact your local Sorona® representative for information.

SORONA® PROFILE


Fabric designed for outerwear with easy care

Branding Criteria

- Contains a minimum of 50% Sorona® polymer homofilament fiber in the fabric or,
- Contains 100% Sorona® polymer homofilament fiber in the warp direction
- Passes specified performance tests



SPF-01-WN




SPF-01-AP

SORONA® AGILE


Fabric designed with long-lasting stretch

Branding Criteria

- Contains a minimum of 20% Sorona® polymer homofilament fiber or,
- Contains a minimum of 20% Sorona® polymer bicofilament fiber
- Does not contain elastane-based fiber (i.e. spandex)
- Passes specified performance tests



SAG-01-WN



SAG-01-AP

SORONA® REVIVE


Fabric designed with outstanding shape recovery

Branding Criteria

- Contains a minimum of 20% Sorona® polymer homofilament fiber or,
- Contains a minimum of 20% Sorona® polymer bicofilament fiber
- Fabric contains elastane-based fiber (i.e. spandex)
- Passes specified performance tests



SRV-01-WN





SRV-01-AP

SORONA® LUXE


Fabric designed with natural fiber blend

Branding Criteria

- Contains a minimum of 10% Sorona® homopolymer staple fiber or,
- Contains a minimum of 10% Sorona® polymer bicomponent staple fiber
- Is based on a natural fiber blend (cotton, linen, wool, cellulose)
- Passes specified performance tests



SLX-01-WN



SLX-01-AP



SORONA® AURA


Insulation designed with light weight, breathable warmth

Branding Criteria


- Insulation product contains a minimum of 24% Sorona® polymer
- Passes specified performance tests



Also available:
Sorona® Sew-in Label



SAU-01-WN




SAU-01-AP

SORONA® Ingredient Tag

Fabric designed for movement, touch and everyday use

Branding Criteria

- The fabric must contain a minimum of 10% Sorona® polymer fiber.
- Homopolymer staple fibers/ Homofilament fibers must be 100% Sorona® polymer or
- Bicomponent staple fibers/Bicofilament fibers must be at least 40% Sorona® polymer.



SMD-01-WN



SMD-01-AP




SORONA® HANGTAG REQUEST PROCESS

1. Submit hangtag request form with 2 yards fabric sample and Sorona® fiber purchase invoice.

2. Sorona® marketing verifies request versus requirements. After certification completed. If confirmed, hangtag order is fulfilled by a third-party vendor as follows:

- Hangtag vendor issues pro forma invoice
- Requestor makes payment in advance
- Hangtag vendor releases hangtag to requestor destination*
- Delivery lead time: 10-15 working days after certification completed
- Hangtag cost is chargeable to requestor based on actual tier price of the order quantity. Hangtag vendor requires payment before order is dispatched.



Tag Specifications

WESTERN LANGUAGE (WN)

Includes: English

ASIA PACIFIC LANGUAGE (AP)

Includes: English, Simplified Chinese, Korean and Japanese

Hangtag Size: 1.5" X 3.5"